



Tobacco Use Prevention Program Planned Indicator Use Worksheet Results

October 5, 2007

1.13.1 Average age at which young people first smoked a whole cigarette

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
17% (1)	33% (2)	17% (1)	17% (1)	17% (1)	(0)	3.17
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

1.14.1 Prevalence of tobacco [cigarette] use among young people [30-day use]

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	33% (2)	0% (0)	0% (0)	17% (1)	(0)	4.00
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

1.14.2 Proportion of established young smokers [lifetime use]

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	17% (1)	17% (1)	0% (0)	17% (1)	(0)	3.83
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

1.14.N1 Prevalence of bidis 30-day use among young people

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
0% (0)	0% (0)	67% (4)	17% (1)	17% (1)	(0)	2.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.14.N2 Prevalence of kreteks 30-day use among young people

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
0% (0)	0% (0)	67% (4)	17% (1)	17% (1)	(0)	2.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.14.N3 Prevalence of spit tobacco 30-day use among young people

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
17% (1)	33% (2)	33% (2)	0% (0)	17% (1)	(0)	3.33
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

1.14.N4 Proportion of established young bidis users [lifetime use]

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
0% (0)	0% (0)	67% (4)	17% (1)	17% (1)	(0)	2.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.14.N5 Proportion of established young kreteks users [lifetime use]

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
17% (1)	0% (0)	50% (3)	17% (1)	17% (1)	(0)	2.83
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.14.N6 Proportion of established young spit tobacco users [lifetime use]

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
33% (2)	17% (1)	33% (2)	0% (0)	17% (1)	(0)	3.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

1.15.N1 Prevalence of tobacco-related child morbidity for selected conditions: ear infections, asthma, sinus infections

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	17% (1)	0% (0)	33% (2)	(0)	3.17
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.12.1 Amount of tobacco product excise tax

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.11.1 Proportion of successful attempts to purchase tobacco products by young people

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
17% (1)	50% (3)	17% (1)	0% (0)	17% (1)	(0)	3.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.11.2 Proportion of young people reporting that they have been sold tobacco products by a retailer

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
0% (0)	50% (3)	33% (2)	0% (0)	17% (1)	(0)	3.17
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.11.3 Proportion of young people reporting that they have been unsuccessful in purchasing tobacco products from a retailer

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
17% (1)	50% (3)	17% (1)	0% (0)	17% (1)	(0)	3.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.11.4 Proportion of young people reporting that they have received tobacco products from a social source

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
0% (0)	50% (3)	17% (1)	17% (1)	17% (1)	(0)	3.00
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.11.6 Proportion of young people who believe that it is easy to obtain tobacco products

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	17% (1)	17% (1)	(0)	3.67
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.10.5 Proportion of young people who are susceptible never-smokers

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
17% (1)	33% (2)	33% (2)	0% (0)	17% (1)	(0)	3.33
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.10.3 Proportion of young people who report that their parents have discussed not smoking with them

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

1.10.1 Proportion of young people who think that smoking is cool and helps them fit in

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
67% (4)	17% (1)	0% (0)	0% (0)	17% (1)	(0)	4.17
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.10.4 Proportion of parents who report that they have discussed not smoking with their children

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8B.6 Number of warnings, citations, and fines issued for infractions of public policies against young people's access to tobacco products

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8B.N1 Number of prosecutions of infractions of public policies against young people's access to tobacco products

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	33% (2)	0% (0)	17% (1)	(0)	3.50
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8B.N2 Number of citations to retailers for selling to minors

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	33% (2)	0% (0)	17% (1)	(0)	3.67
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8B.N3 Number of citations to clerks for selling to minors

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	33% (2)	0% (0)	17% (1)	(0)	3.67
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8B.5 Number of compliance checks conducted by enforcement agencies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	33% (2)	0% (0)	17% (1)	(0)	3.67
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8B.7 Changes in state tobacco control laws that preempt stronger local tobacco control laws (i.e., track proposed and passed negative changes)

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	17% (1)	0% (0)	17% (1)	(0)	3.83
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.8A.N1 Proportion of municipalities that possess youth access ordinances

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	50% (3)	0% (0)	0% (0)	17% (1)	(0)	3.83
Organization Role:	<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>		
	100% (3)	0% (0)	0% (0)	0% (0)		

1.7.1 Proportion of schools or school districts reporting the implementation of 100% tobacco-free policies						
Yes, Definitely 33% (2)	Yes, Probably 33% (2)	Maybe 17% (1)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.67
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	
1.7.2 Proportion of schools of school districts that provide instruction on tobacco-use prevention that meets CDC guidelines						
Yes, Definitely 33% (2)	Yes, Probably 33% (2)	Maybe 17% (1)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.67
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	
1.7.3 Proportion of schools or school districts that provide tobacco-use prevention education in grades K-12						
Yes, Definitely 33% (2)	Yes, Probably 33% (2)	Maybe 17% (1)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.67
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	
1.6.4 Level of support for policies, and enforcement of policies, to decrease young people's access to tobacco						
Yes, Definitely 67% (4)	Yes, Probably 17% (1)	Maybe 0% (0)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 4.17
Organization Role:		Consumer 67% (2)	Producer 0% (0)	Both 33% (1)	Neither 0% (0)	
1.6.5 Level of support for increasing excise tax on tobacco products						
Yes, Definitely 50% (3)	Yes, Probably 33% (2)	Maybe 0% (0)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 4.00
Organization Role:		Consumer 67% (2)	Producer 0% (0)	Both 33% (1)	Neither 0% (0)	
1.6.8 Proportion of young people who think that the cigarette companies try to get young people to smoke						
Yes, Definitely 50% (3)	Yes, Probably 17% (1)	Maybe 17% (1)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.83
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	
1.9.11 Extent of tobacco industry contributions to institutions and groups						
Yes, Definitely 33% (2)	Yes, Probably 17% (1)	Maybe 33% (2)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.50
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	
1.9.12 Amount of tobacco industry campaign contributions to local and state politicians						
Yes, Definitely 33% (2)	Yes, Probably 17% (1)	Maybe 33% (2)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.50
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	
1.9.6 Proportion of jurisdictions with policies that regulate tobacco industries' sponsorship of public events						
Yes, Definitely 33% (2)	Yes, Probably 17% (1)	Maybe 33% (2)	No, Probably Not 0% (0)	No, Definitely Not 17% (1)	N/A (0)	Average 3.50
Organization Role:		Consumer 100% (3)	Producer 0% (0)	Both 0% (0)	Neither 0% (0)	

2.7.1 Proportion of the population reporting exposure to secondhand smoke in the workplace

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.7.3 Proportion of the population reporting exposure to secondhand smoke at home or in vehicles

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
40% (2)	20% (1)	20% (1)	0% (0)	20% (1)	(0)	3.60
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.8.1 Per capita consumption of tobacco products

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	33% (2)	0% (0)	0% (0)	17% (1)	(0)	4.00
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

2.10.N1 To be developed

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
67% (2)	33% (1)	0% (0)	0% (0)	0% (0)	(0)	4.67
Organization Role:		Consumer	Producer	Both	Neither	
		50% (1)	50% (1)	0% (0)	0% (0)	

2.9.N1 Number of non-smokers with ETS exposure with heart disease and cancer

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		75% (3)	25% (1)	0% (0)	0% (0)	

2.6.N1 Completed registry of tobacco-free policies, including local ordinances, resolutions, school policies, and hospital grounds policies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

2.4.1 Proportion of jurisdictions with public policies for tobacco-free workplaces and other indoor and outdoor public places

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.4.4 Proportion of the population reporting voluntary tobacco-free home of vehicle policies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	33% (2)	0% (0)	17% (1)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.4.5 Proportion of schools or school districts reporting the implementation of 100% tobacco-free school policies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	17% (1)	0% (0)	17% (1)	(0)	3.83
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.4.6 Proportion of the population that works in environments with tobacco-free policies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.3.3 Attitudes of smokers and nonsmokers about the acceptability of exposing others to secondhand smoke

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	33% (2)	0% (0)	17% (1)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.3.5 Proportion of the population that thinks secondhand smoke is harmful

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	33% (2)	0% (0)	17% (1)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.3.6 Proportion of the population that thinks secondhand smoke is harmful to children and pregnant women

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	33% (2)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.3.7 Level of support for creating tobacco-free policies in public places and workplaces

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.5.1 Number of compliance checks conducted by enforcement agencies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	50% (3)	0% (0)	0% (0)	17% (1)	(0)	3.83
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.5.2 Number of enforcement agency responses to complaints regarding noncompliance with tobacco-free public policies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	50% (3)	0% (0)	0% (0)	17% (1)	(0)	3.83
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.5.3 Number of warnings, citations, and fines issued for infractions of tobacco-free public policies

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

3.13.1 Proportion of smokers who have sustained abstinence from tobacco use

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
60% (3)	20% (1)	0% (0)	0% (0)	20% (1)	(0)	4.00
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.13.N1 Proportion of pregnant females who have sustained abstinence from tobacco use

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	33% (2)	0% (0)	17% (1)	0% (0)	(0)	4.17
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		50% (2)	25% (1)	25% (1)	0% (0)	

3.13.N2 Proportion of spit tobacco users who have sustained abstinence from tobacco use

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
40% (2)	20% (1)	20% (1)	20% (1)	0% (0)	(0)	3.80
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.16.N1 To be developed

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
100% (1)	0% (0)	0% (0)	0% (0)	0% (0)	(0)	5.00
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		#Num! (0)	#Num! (0)	#Num! (0)	#Num! (0)	

3.14.1 Smoking prevalence

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
80% (4)	20% (1)	0% (0)	0% (0)	0% (0)	(0)	4.80
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.14.2 Prevalence of tobacco use during pregnancy

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
83% (5)	0% (0)	0% (0)	17% (1)	0% (0)	(0)	4.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		50% (2)	25% (1)	25% (1)	0% (0)	

3.14.3 Prevalence of postpartum tobacco use

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	17% (1)	17% (1)	17% (1)	0% (0)	(0)	4.00
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		50% (2)	25% (1)	25% (1)	0% (0)	

3.14.4 Per capita consumption of tobacco products

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	33% (2)	0% (0)	0% (0)	17% (1)	(0)	4.00
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.15.N1 Incidence of lung cancer

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
33% (1)	33% (1)	33% (1)	0% (0)	0% (0)	(0)	4.00
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		0% (0)	100% (1)	0% (0)	0% (0)	

3.15.N2 Death rates of tobacco-related cancer, tobacco use, heart disease, stroke, chronic lung disease

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	17% (1)	17% (1)	0% (0)	17% (1)	(0)	3.83
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		50% (2)	25% (1)	25% (1)	0% (0)	

3.15.N3 Prevalence of COPD, myocardial infarction, stroke						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		75% (3)	25% (1)	0% (0)	0% (0)	
3.15.N4 Hospital discharges due to these diseases						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	33% (2)	0% (0)	17% (1)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		75% (3)	25% (1)	0% (0)	0% (0)	
3.11.1 Proportion of adult smokers who have made a quit attempt						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	
3.11.2 Proportion of young smokers who have made a quit attempt						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	
3.11.N1 Proportion of pregnant women smokers who have made a quit attempt						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		100% (2)	0% (0)	0% (0)	0% (0)	
3.11.3 Proportion of adult, young, and [pregnant women] smokers who have made a quit attempt using proven cessation methods						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	
3.12.1 Amount of tobacco product excise tax						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	
3.8.3 Proportion of smokers who intend to quit						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	17% (1)	0% (0)	33% (2)	(0)	3.17
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	
3.8.5 Level of support for increasing excise tax on tobacco products						
Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	17% (1)	0% (0)	33% (2)	(0)	3.17
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.8.4 Proportion of smokers who intend to quit smoking by using proven cessation methods

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	17% (1)	0% (0)	33% (2)	(0)	3.33
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.8.8 Level of support for increasing insurance coverage for cessation treatment

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.8.9 Proportion of employers who are aware of the benefits of providing coverage for cessation treatment

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.7.6 Proportion of worksites with a cessation program or a contract with a quitline

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
33% (2)	17% (1)	17% (1)	0% (0)	33% (2)	(0)	3.17
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.7.1 Number of callers to telephone quitlines

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	17% (1)	0% (0)	33% (2)	(0)	3.33
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.7.4 Proportion of smokers who have used group cessation programs

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	17% (1)	0% (0)	33% (2)	(0)	3.33
Organization Role:		Consumer	Producer	Both	Neither	
		100% (3)	0% (0)	0% (0)	0% (0)	

3.7.5 Proportion of health care systems with telephone quitlines or contracts with state quitlines

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	0% (0)	17% (1)	0% (0)	33% (2)	(0)	3.33
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.7.2 Number of calls to telephone quitlines from users who heard about the quitline through a media campaign

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.7.3 Number of calls to telephone quitlines from users who heard about the quitline through a source other than a media campaign

Yes, Definitely	Yes, Probably	Maybe	No, Probably Not	No, Definitely Not	N/A	Average
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		Consumer	Producer	Both	Neither	
		67% (2)	0% (0)	33% (1)	0% (0)	

3.10.1 Proportion of insurance purchasers and payers that reimburse for tobacco cessation services

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
40% (2)	40% (2)	0% (0)	0% (0)	20% (1)	(0)	3.80
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		33% (1)	33% (1)	33% (1)	0% (0)	

3.9.2 Proportion of adults who have been asked by a health care professional about smoking

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

3.9.1 Proportion of health care providers and health care systems that have fully implemented the Public Health Services (PHS) guidelines

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
50% (3)	17% (1)	0% (0)	0% (0)	33% (2)	(0)	3.50
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

3.9.5 Proportion of smokers who have been assisted in quitting by a health care professional

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
67% (4)	0% (0)	0% (0)	0% (0)	33% (2)	(0)	3.67
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	

2.3.8 Level of support for adopting tobacco-free policies in homes and vehicles

<i>Yes, Definitely</i>	<i>Yes, Probably</i>	<i>Maybe</i>	<i>No, Probably Not</i>	<i>No, Definitely Not</i>	<i>N/A</i>	<i>Average</i>
33% (2)	33% (2)	17% (1)	0% (0)	17% (1)	(0)	3.67
Organization Role:		<i>Consumer</i>	<i>Producer</i>	<i>Both</i>	<i>Neither</i>	
		100% (3)	0% (0)	0% (0)	0% (0)	
